



CORRIGENDUM

1. This is with reference to the Notice Inviting Tender (NIT) Reference No.: - 12/SHSB/Virtual Classroom/ 2020-21 for Supply, Installation & Integration, Management and Maintenance of Equipment for Virtual classrooms at ANM/GNM Schools and IGIMS College of Nursing in the state of Bihar, published in leading newspapers [PR.07263 (Ni.Ni.) 2020-21] and uploaded on the website “<http://www.eproc.bihar.gov.in/BELTRON>” and “statehealthsocietybihar.org”, the Pre-Bid meeting was held on 05/10/2020 at 11.00 AM in the Conference Hall of the ‘State Health Society, Bihar (SHSB), Pariwar Kalyan Bhawan, Sheikhpura, Patna’.
2. In response to queries raised during pre-bid meeting/ submitted online, the technical committee after due consideration decides to the following amendments/clarifications in the NIT:

Sl. No	NIT Reference	As published in NIT	Amendments Recommended by Technical Committee
1	Page 41, S. No. 1 of Point 8: 120W Mixer Amplifier with multiple audio sources, Appendix 1 – Technical Specification of Equipment/Software	“Should support Bluetooth, MP3 & Tuner with remote control function”	“Optional support for Bluetooth but MP3 & Tuner with remote control function.” (The amendment as above is recommended)
2	Page 41, S. No. 3 of Point 8: 120W Mixer Amplifier with multiple audio sources, Appendix 1 – Technical Specification of Equipment/Software	“Each channel should support Volume, Master Volume, Bass/Treble tone control function”	“Supports Volume, Master Volume, Bass/Treble tone control function” (The amendment as above is recommended)
3	Page 41, S. No. 10 of Point 8: 120W Mixer Amplifier with multiple audio sources, Appendix 1 – Technical Specification of Equipment/Software	“Maximum power consumption: 180W”	“The specification stands negated/deleted.” (The amendment as above is recommended)
4	Page 42, S. No. 6 of Point 9: 45W Wall Mount Speaker, Appendix 1 – Technical Specification of Equipment/Software	“Sensitivity of the loudspeakers should be 88 dB SPL or better”	“Sensitivity of the loudspeakers should be 87 dB SPL or better” (The amendment as above is recommended)

5	Page 15, Point 1, Clause 3, Section V: Scope of Work	<i>“The agency shall install a PC/laptop and a Webcam in Skill lab while the rest of the equipment in State nodal office at IGIMS.”</i>	<i>“The agency shall install a PC/laptop and a Webcam in Skill lab while the rest of the equipment in State nodal office at IGIMS. Further, the agency shall also provide a speaker (powered through desktop USB ports) in skill lab.” (The amendment as above is recommended)</i>																																																																				
6	Page 33, Point 3, Appendix 1 – Technical Specification of Equipment/Software	<p><i>“Long Through Projector”</i></p> <table border="1" data-bbox="490 280 1189 1224"> <thead> <tr> <th data-bbox="490 280 757 331">Features</th> <th data-bbox="757 280 1189 331">Technical Specifications</th> </tr> </thead> <tbody> <tr> <td data-bbox="490 331 757 363">Technology</td> <td data-bbox="757 331 1189 363">DLP/LCD</td> </tr> <tr> <td data-bbox="490 363 757 395">Brightness</td> <td data-bbox="757 363 1189 395">3000 ANSI Lumens</td> </tr> <tr> <td data-bbox="490 395 757 427">Resolution</td> <td data-bbox="757 395 1189 427">Minimum WXGA (1280 x 800)</td> </tr> <tr> <td data-bbox="490 427 757 459">Light Source</td> <td data-bbox="757 427 1189 459">Laser/ LED/ Laser & LED Hybrid</td> </tr> <tr> <td data-bbox="490 459 757 491">Lamp Life in ECO mode</td> <td data-bbox="757 459 1189 491">20,000 hours</td> </tr> <tr> <td data-bbox="490 491 757 523">Contrast Ratio</td> <td data-bbox="757 491 1189 523">20000:1 or better</td> </tr> <tr> <td data-bbox="490 523 757 555">Projection Ratio</td> <td data-bbox="757 523 1189 555">0.52 or better</td> </tr> <tr> <td data-bbox="490 555 757 587">Projected Image size</td> <td data-bbox="757 555 1189 587">30-300 inches</td> </tr> <tr> <td data-bbox="490 587 757 639">Warranty on Light Source</td> <td data-bbox="757 587 1189 639">5 years or 10000 hours</td> </tr> <tr> <td data-bbox="490 639 757 692">Warranty on Projector Unit</td> <td data-bbox="757 639 1189 692">3 years</td> </tr> <tr> <td data-bbox="490 692 757 724">Dust Resistant Design</td> <td data-bbox="757 692 1189 724">Yes</td> </tr> <tr> <td data-bbox="490 724 757 756">Connectivity</td> <td data-bbox="757 724 1189 756">RGB, HDMI, Audio In, Audio Out</td> </tr> <tr> <td data-bbox="490 756 757 788">Instant On/Off/Restart</td> <td data-bbox="757 756 1189 788">Yes</td> </tr> <tr> <td data-bbox="490 788 757 820">Life</td> <td data-bbox="757 788 1189 820">Up to 20,000 hours</td> </tr> <tr> <td data-bbox="490 820 757 888">Ports</td> <td data-bbox="757 820 1189 888">D-sub (VGA), HDMI and Audio in & out 3.5 mm stereo jacks</td> </tr> <tr> <td data-bbox="490 888 757 957">Ceiling Mounting Kit</td> <td data-bbox="757 888 1189 957">Yes. With necessary accessories to fix on ceiling/wall and required cables</td> </tr> <tr> <td data-bbox="490 957 757 989">Remote Controller</td> <td data-bbox="757 957 1189 989">Yes. With batteries</td> </tr> <tr> <td data-bbox="490 989 757 1058">Screen</td> <td data-bbox="757 989 1189 1058">6 X 8 feet Wall Mount Screen with accessories and stand</td> </tr> <tr> <td data-bbox="490 1058 757 1224">Accessories</td> <td data-bbox="757 1058 1189 1224">With all necessary accessories and cables to make the projector functional. The bidder should supply Power cable to connect projector when ceiling/wall mounted.</td> </tr> </tbody> </table>	Features	Technical Specifications	Technology	DLP/LCD	Brightness	3000 ANSI Lumens	Resolution	Minimum WXGA (1280 x 800)	Light Source	Laser/ LED/ Laser & LED Hybrid	Lamp Life in ECO mode	20,000 hours	Contrast Ratio	20000:1 or better	Projection Ratio	0.52 or better	Projected Image size	30-300 inches	Warranty on Light Source	5 years or 10000 hours	Warranty on Projector Unit	3 years	Dust Resistant Design	Yes	Connectivity	RGB, HDMI, Audio In, Audio Out	Instant On/Off/Restart	Yes	Life	Up to 20,000 hours	Ports	D-sub (VGA), HDMI and Audio in & out 3.5 mm stereo jacks	Ceiling Mounting Kit	Yes. With necessary accessories to fix on ceiling/wall and required cables	Remote Controller	Yes. With batteries	Screen	6 X 8 feet Wall Mount Screen with accessories and stand	Accessories	With all necessary accessories and cables to make the projector functional. The bidder should supply Power cable to connect projector when ceiling/wall mounted.	<p><i>“Projector”</i></p> <table border="1" data-bbox="1234 280 2112 935"> <thead> <tr> <th data-bbox="1234 280 1545 331">Features</th> <th data-bbox="1545 280 2112 331">Technical Specifications</th> </tr> </thead> <tbody> <tr> <td data-bbox="1234 331 1545 363">Technology</td> <td data-bbox="1545 331 2112 363">DLP/LCD</td> </tr> <tr> <td data-bbox="1234 363 1545 395">Brightness</td> <td data-bbox="1545 363 2112 395">3000 ANSI Lumens minimum or higher</td> </tr> <tr> <td data-bbox="1234 395 1545 427">Resolution</td> <td data-bbox="1545 395 2112 427">Minimum WXGA</td> </tr> <tr> <td data-bbox="1234 427 1545 459">Light Source</td> <td data-bbox="1545 427 2112 459">Laser/ LED/ Laser & LED Hybrid</td> </tr> <tr> <td data-bbox="1234 459 1545 491">Lamp Life in ECO mode</td> <td data-bbox="1545 459 2112 491">10,000 hours</td> </tr> <tr> <td data-bbox="1234 491 1545 523">Dust Resistant Design</td> <td data-bbox="1545 491 2112 523">Yes</td> </tr> <tr> <td data-bbox="1234 523 1545 555">Connectivity</td> <td data-bbox="1545 523 2112 555">RGB, HDMI, Audio In, Audio Out, Wireless (Optional)</td> </tr> <tr> <td data-bbox="1234 555 1545 587">Instant On/Off/Restart</td> <td data-bbox="1545 555 2112 587">Yes</td> </tr> <tr> <td data-bbox="1234 587 1545 655">Ports</td> <td data-bbox="1545 587 2112 655">D-sub (VGA), HDMI and Audio in & out 3.5 mm stereo jacks</td> </tr> <tr> <td data-bbox="1234 655 1545 724">Ceiling Mounting Kit</td> <td data-bbox="1545 655 2112 724">Yes. With necessary accessories to fix on ceiling/wall and required cables</td> </tr> <tr> <td data-bbox="1234 724 1545 756">Remote Controller</td> <td data-bbox="1545 724 2112 756">Yes. With batteries</td> </tr> <tr> <td data-bbox="1234 756 1545 825">Screen</td> <td data-bbox="1545 756 2112 825">6 X 8 feet Wall Mount Screen with accessories and stand</td> </tr> <tr> <td data-bbox="1234 825 1545 935">Accessories</td> <td data-bbox="1545 825 2112 935">With all necessary accessories and cables to make the projector functional. The bidder should supply Power cable to connect projector when ceiling/wall mounted.</td> </tr> </tbody> </table> <p><i>(The amendment as above is recommended)</i></p>	Features	Technical Specifications	Technology	DLP/LCD	Brightness	3000 ANSI Lumens minimum or higher	Resolution	Minimum WXGA	Light Source	Laser/ LED/ Laser & LED Hybrid	Lamp Life in ECO mode	10,000 hours	Dust Resistant Design	Yes	Connectivity	RGB, HDMI, Audio In, Audio Out, Wireless (Optional)	Instant On/Off/Restart	Yes	Ports	D-sub (VGA), HDMI and Audio in & out 3.5 mm stereo jacks	Ceiling Mounting Kit	Yes. With necessary accessories to fix on ceiling/wall and required cables	Remote Controller	Yes. With batteries	Screen	6 X 8 feet Wall Mount Screen with accessories and stand	Accessories	With all necessary accessories and cables to make the projector functional. The bidder should supply Power cable to connect projector when ceiling/wall mounted.
Features	Technical Specifications																																																																						
Technology	DLP/LCD																																																																						
Brightness	3000 ANSI Lumens																																																																						
Resolution	Minimum WXGA (1280 x 800)																																																																						
Light Source	Laser/ LED/ Laser & LED Hybrid																																																																						
Lamp Life in ECO mode	20,000 hours																																																																						
Contrast Ratio	20000:1 or better																																																																						
Projection Ratio	0.52 or better																																																																						
Projected Image size	30-300 inches																																																																						
Warranty on Light Source	5 years or 10000 hours																																																																						
Warranty on Projector Unit	3 years																																																																						
Dust Resistant Design	Yes																																																																						
Connectivity	RGB, HDMI, Audio In, Audio Out																																																																						
Instant On/Off/Restart	Yes																																																																						
Life	Up to 20,000 hours																																																																						
Ports	D-sub (VGA), HDMI and Audio in & out 3.5 mm stereo jacks																																																																						
Ceiling Mounting Kit	Yes. With necessary accessories to fix on ceiling/wall and required cables																																																																						
Remote Controller	Yes. With batteries																																																																						
Screen	6 X 8 feet Wall Mount Screen with accessories and stand																																																																						
Accessories	With all necessary accessories and cables to make the projector functional. The bidder should supply Power cable to connect projector when ceiling/wall mounted.																																																																						
Features	Technical Specifications																																																																						
Technology	DLP/LCD																																																																						
Brightness	3000 ANSI Lumens minimum or higher																																																																						
Resolution	Minimum WXGA																																																																						
Light Source	Laser/ LED/ Laser & LED Hybrid																																																																						
Lamp Life in ECO mode	10,000 hours																																																																						
Dust Resistant Design	Yes																																																																						
Connectivity	RGB, HDMI, Audio In, Audio Out, Wireless (Optional)																																																																						
Instant On/Off/Restart	Yes																																																																						
Ports	D-sub (VGA), HDMI and Audio in & out 3.5 mm stereo jacks																																																																						
Ceiling Mounting Kit	Yes. With necessary accessories to fix on ceiling/wall and required cables																																																																						
Remote Controller	Yes. With batteries																																																																						
Screen	6 X 8 feet Wall Mount Screen with accessories and stand																																																																						
Accessories	With all necessary accessories and cables to make the projector functional. The bidder should supply Power cable to connect projector when ceiling/wall mounted.																																																																						

3. Change in Schedule of Events:

Sno.	Event Description	Timeline	New Timeline
3.1	Date & time of downloading the RFP	Till 21/10/2020 (Wednesday) up to 05:00 PM , on the e-Procurement Portal (https://www.eproc.bihar.gov.in/BELTRON).	Till 30/10/2020 (Friday) up to 05:00 PM , on the e-Procurement Portal (https://www.eproc.bihar.gov.in/BELTRON).
3.2	Last date & time for submission (upload) of online bidding document.	22/10/2020 (Thursday) till 05:00 PM, on the e-Procurement Portal (https://www.eproc.bihar.gov.in/BELTRON)	31/10/2020 (Saturday) till 05:00 PM, on the e-Procurement Portal (https://www.eproc.bihar.gov.in/BELTRON)
3.3	Last date & time for submission of EMD in Hard (Physical) Copies (Offline Mode)	27/10/2020 (Tuesday) by 05:00 PM, to “The Executive Director (ED), State Health Society, Bihar, Pariwar Kalyan Bhawan, Sheikhpura, Patna-800014”	02/11/2020 (Monday) by 05:00 PM, to “The Executive Director (ED), State Health Society, Bihar, Pariwar Kalyan Bhawan, Sheikhpura, Patna-800014”
3.4	Time, Date of opening of Technical Bid	28/10/2020 (Wednesday) at 11:00 AM on the e-Procurement Portal (https://www.eproc.bihar.gov.in/BELTRON)	03/11/2020 (Tuesday) at 11:00 AM on the e-Procurement Portal (https://www.eproc.bihar.gov.in/BELTRON)
3.5	Time, Date of opening of Financial Bid	25/11/2020 (Wednesday) at 11:00 AM on the e-Procurement Portal (https://www.eproc.bihar.gov.in/BELTRON)	25/11/2020 (Wednesday) at 11:00 AM on the e-Procurement Portal (https://www.eproc.bihar.gov.in/BELTRON)

4. All changes/ modifications in NIT as above are binding to all bidders.
5. Other terms and conditions of the NIT shall remain the same.

Executive Director,
State Health Society Bihar